

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(US-6256739-\$).did.	USPAT	OR	ON	2005/08/07 22:15
L2	1	1 and (fault error crash shut\$1down)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 22:15
L3	29	("4799153"   "5072441"   "5241594"   "5257369"   "5499297"   "5560008"   "5577209"   "5715823"   "5781623"   "5809242"). PN. OR ("6256739").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:43
L4	1491	(point adj2 presence router server proxy gateway) same (inject\$3)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:43
L5	13	(point adj2 presence router server proxy gateway) with (fault) with (signal message packet request) with reset	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:50
L6	7	(inject\$3 detect\$3 sampl\$3) adj (device unit software hardware) with (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:51
L7	21	(monitor\$3 access adj control\$4) with (device unit software hardware) with (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:53
L8	0	(sniff\$3) with (device unit software hardware) with (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:53
L9	0	(sniff\$3) with (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:54
L10	97392	(sniff\$3) sam (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:54
L11	2	(sniff\$3) same (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:55
L12	232	(piggyback\$3 external) same (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:56
L13	14	(piggyback\$3 external) same (point adj2 presence) same (sampl\$3 sniff\$3 analyz\$3 monitor\$3 listen\$3 eavesdrop\$4)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 22:59

L14	0	(non\$1interven\$3) same (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:02
L15	0	(non adj interven\$3) same (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:02
L16	22	(passive) same (point adj2 presence)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:03
L17	271	(passive) with (authenticat\$3 access adj control\$4)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:04
L18	5	(passive) with (authenticat\$3 access adj control\$4) with (intermediary intermediate proxy gateway isp osp service adj provider)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:07
L19	1772	(passive) with (intermediary intermediate proxy gateway isp osp service adj provider)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:08
L20	26	(passive) with (intermediary intermediate proxy gateway isp osp service adj provider) with (monitor\$3 access adj control\$4)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:10
L21	388	(passive) adj3 (intermediary intermediate proxy gateway isp osp service adj provider)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:13
L22	3	passive adj proxy	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:11
L23	5	passive adj gateway	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:11
L24	38	(passive) adj (intermediary intermediate)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:21
L25	14	captive adj portal	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:21
L26	9	("20020059402"   "5924026"   "6237035" "6336137"   "6421714" "6473097"   "6512754" "6523062"   "6563800"). PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 23:22
L28	1	(US-4672572-\$) .did.	USPAT	OR	ON	2005/08/08 00:53

L29	0	28 and router	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:16
L30	3	point adj2 presence with (client console terminal workstation) with (server host resource service) same (request) same (ip adj address)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:17
L31	188	router with (client console terminal workstation) with (server host resource service) same (request) same (ip adj address)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:17
L32	37	(router with (client console terminal workstation) with (server host resource service) same (request) same (ip adj address)).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:25
L33	100	(router with (client console terminal workstation) with (server host resource service) and (request) with (ip adj address)).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:26
L34	888	(router with (client console terminal workstation) with (server host resource service) and (request) with (ip adj address))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:32
L35	223	(router with (between) with (client console terminal workstation) with (server host resource service) and (request) with (ip adj address))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:33
L36	158	(router with (between) with (client console terminal workstation node) with (server host resource service) and (request) with (client console terminal workstation node) with (ip adj address))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:35
L37	236	(router with (between) with (client console terminal workstation node) with (server host resource service node) and (request) with (client console terminal workstation node) with (ip adj address))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 01:33

S2	2	"4672572".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:30
S3	496	(injector intermediary proxy gateway) with (sampl\$3 monitor\$3) with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:33
S4	21	(injector intermediary proxy gateway) with (sampl\$3 monitor\$3) with (packet) with (client terminal) with (server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:34
S5	0	detector adj device with (sampl\$3 monitor\$3) with (packet) with (client terminal) with (server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:34
S6	1	detector adj device with (sampl\$3 monitor\$3) with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:34
S7	1	detector adj device with (sampl\$3 monitor\$3 analyz\$32) with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:34
S8	1	detector adj device with (sampl\$3 monitor\$3 analyz\$3) with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:35
S9	2	inject\$3 adj device with (sampl\$3 monitor\$3 analyz\$3) with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:35
S10	13	inject\$3 adj device with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:36
S11	1540	inject\$3 with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:36

S12	95	inject\$3 with (packet) with (sampl\$3 monitor\$3 analyz\$3 sniff\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:37
S13	44	syn adj attack	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:42
S14	9	syn adj attack and (reset shut adj down) with server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:38
S15	110	(isp service adj provider) with (advertise\$4 authenticat\$3 restrict\$3 prohibit\$3) with (inject\$3 add\$3 monitor\$3 analyz\$3 sampl\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:56
S16	4	(isp service adj provider) same packet adj sniffer	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:56
S18	51	(isp service adj provider) and packet adj sniffer	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:56
S19	22	packet adj sniffer same (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:58
S20	122	sniffer same (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:58
S21	6282	third adj party same (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:58

S22	1759	third adj party same (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:58
S23	888	third adj party with (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:59
S24	21	third adj party with (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with (inject\$3 sampl\$3 monitor\$3 analyz\$3 sniff\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:59
S25	2	(intermediary) with (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with (inject\$3 sampl\$3 monitor\$3 analyz\$3 sniff\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:00
S26	44	(isp service adj provider) with (authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with (inject\$3 sampl\$3 monitor\$3 analyz\$3 sniff\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:06
S27	1	(US-6772200-\$).did.	USPAT	OR	ON	2005/07/25 19:02
S28	1	S27 and non\$lintrusive	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:03
S29	25	("5373375"   "5517612"   "5544320"   "5673322"   "5684969"   "5701451"   "5706434"   "5724556"   "5727159"   "5740549"   "5742905"   "5768510"   "5796952"   "5805735"   "5809242"   "5848397"   "5854897"   "5878421"   "5893114"   "5901287"   "5918014"   "5940820"   "5974394"   "6008803"). PN. OR ("6772200").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/07/25 19:04
S30	28	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with non\$lintrusive	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:09

S31	11	("5027343"   "5299257"   "5375126"   "5481548"   "5490199"   "5528748"   "5615225"   "5621720"   "5680391"   "5691973"   "5691976").PN. OR ("6519723").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/07/25 19:08
S32	99	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with (without "not") with (interfer\$3 interrupt\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:10
S33	8	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with (without "not") with (interfer\$3 interrupt\$3) with (fail\$3 crash error)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:11
S34	4056	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with (fail\$3 crash error)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:11
S35	0	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) with ("point of failure")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:11
S36	0	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) with (packet data message) same ("point of failure")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:12
S37	0	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) same ("point of failure")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:13
S38	0	("single point of failure")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:12
S39	0	"single point of failure"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:12

S40	0	"point of failure"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:12
S41	9553	point adj3 failure	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:12
S42	6283	point adj failure	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:13
S43	8142	point adj2 failure	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:13
S44	197	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) same point adj2 failure	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:13
S45	69	(authenticat\$3 advertis\$5 restrict\$3 prohibit\$3) same point adj2 failure same (packet message data)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 19:13
S46	80907	(isp service adj provider point adj2 presence)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 15:15
S47	441	(isp service adj provider point adj2 presence) with (redirect\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 15:15
S48	4321	(isp service adj provider point adj2 presence) with (sniff\$3 monitor\$3 analyz\$3 inject\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:25
S49	146	(isp service adj provider point adj2 presence) with (sniff\$3 monitor\$3 analyz\$3 inject\$3) AND (REDIRECT\$3) with (user client terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 15:35



S54	86	("4914586"   "5475817"   "5586260"   "5623601"   "5764887"   "5815574"   "5828833"   "5832211"   "5838903"   "5857191"   "5864665"   "5875296"   "5881230").PN. OR ("5987611").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/06 15:39
S55	158	(point adj2 presence) with (sniff\$3 monitor\$3 analyz\$3 inject\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:27
S56	4183	(isp service adj provider) with (sniff\$3 monitor\$3 analyz\$3 inject\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:04
S57	201	((isp service adj provider) with (sniff\$3 monitor\$3 analyz\$3 inject\$3 eavesdrop\$5 listen\$3 watchdog)) same (authenticat\$3 redirect\$3 control\$4) and (bandwidth quality adj2 service money monetary) and (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:37
S58	184	((isp service adj provider) with (sniff\$3 monitor\$3 analyz\$3 inject\$3)) same (authenticat\$3 redirect\$3 control\$4) and (bandwidth quality adj2 service money monetary) and (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:38
S59	2909	(sniff\$3 monitor\$3 analyz\$3 inject\$3) with (client user console terminal) same (authenticat\$3 redirect\$3 control\$4) and (bandwidth quality adj2 service money monetary) and (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:38

S60	2909	((sniff\$3 monitor\$3 analyz\$3 inject\$3) with (client user console terminal)) same (authenicat\$3 redirect\$3 control\$4) and (bandwidth quality adj2 service money monetary) and (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:39
S61	31	((sniff\$3 monitor\$3 analyz\$3 inject\$3) with (client user console terminal)) and (redirect\$3) with (user client) same (alternate free discount\$2) with (data service resource page site) and (bandwidth quality adj2 service money monetary)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:03
S62	1	packet adj sniffer with (separate detached distinct independent)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:45
S63	139	packet adj sniffer	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:01
S64	4990	packet adj sniffer (network protocol) adj analyzer	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:21
S65	149	packet adj sniffer (network protocol) adj analyzer and (acl "access control list")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:02
S66	148	packet adj sniffer (network protocol) adj analyzer and (acl "access control list") and redirect\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:02
S67	148	packet adj sniffer (network protocol) adj analyzer and (acl "access control list") and (third adj party redirect\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:02

S68	0	S67 and (redirect\$3) with (user client) same (alternate free discount\$2) with (data service resource page site) and (bandwidth quality adj2 service money monetary)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:03
S69	74	S67 and (bandwidth quality adj2 service money monetary)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:03
S70	0	S67 and (redirect\$3) with (user client) same (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:03
S71	0	S67 and (redirect\$3) same (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:03
S72	558	(redirect\$3) same (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:06
S73	79	(redirect\$3) with (user client) with (alternate free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:04
S74	13	(redirect\$3) with (user client) with (free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:04
S75	63	(redirect\$3) with (free discount\$2) with (data service resource page site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:04
S76	0	S72 and S67	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:06

S77	2362	S64 and (@ad<"19990915" @pd<"19990915")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 17:10
S78	1206	(packet adj sniffer (network protocol) adj analyzer).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:25
S79	148	(packet adj sniffer (network protocol) adj analyzer same (independent separate detached distinct)).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:27
S80	49	(packet adj sniffer (network protocol) adj analyzer same (non\$linvasive not\$linvasive)).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:28
S81	3	((packet adj sniffer (network protocol) adj analyzer) same (non\$linvasive not\$linvasive)).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:57
S82	0	((packet adj sniffer) same (non\$linvasive not\$linvasive)).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:29
S83	0	((packet adj sniffer) same (non\$linvasive not\$linvasive))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:29
S84	3	((network protocol) adj analyzer) same (non\$linvasive not\$linvasive)).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:58
S85	10	((network protocol) adj analyzer) same (non\$linvasive not\$linvasive))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:58
S86	101	((network protocol) adj analyzer) same (secur\$3 authentikat\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 17:58

S87	41	("3943283"   "3979699"   "4467293"   "4493112"   "4519066"   "4534038"   "4630314"   "4998079"   "4998240"   "5142690"   "5179341"   "5185735"   "5197066"   "5243593"   "5260664"   "5329528"   "5375159"   "5389882") . PN. OR ("5504736") .URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 17:59
S88	5704	(packet) with (sniff\$3 monitor\$3 analyz\$3 inject\$3) and (authenticat\$3 secur\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:04
S89	39	(packet) with (sniff\$3 monitor\$3 analyz\$3 inject\$3) with (authenticat\$3) with (cliethn user terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:05
S90	52064	nt	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:05
S91	44	(packet) with (sniff\$3 monitor\$3 analyz\$3 inject\$3) with (authenticat\$3) with (client user terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:07
S92	1	(packet message) with (sniff\$3 monitor\$3 analyz\$3 inject\$3) with (authenticat\$3) with (client user terminal console) same (separate distinct independent)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:14
S93	19	(packet message) with (eavesdrop\$4) with (authenticat\$3) with (client user terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:14
S94	20	(packet message) with (eavesdrop\$4 wiretap\$4 (tapping tap) adj into) with (authenticat\$3) with (client user terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:20
S95	52	(packet message) with (eavesdrop\$4 wiretap\$4 (tapping tap) adj into) same (authenticat\$3) with (client user terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:20

S96	1	(packet) with (eavesdrop\$4 wiretap\$4 (tapping tap) adj into) same (authenticat\$3) with (client user terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:21
S97	82	(packet) with (monitor\$3 eavesdrop\$4 wiretap\$4 (tapping tap) adj into) same (authenticat\$3) with (client user terminal console)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:22
S98	1071	(operati\$4 adj (fail\$3) (break shut) adj down error) with (packet) with (pass adj through allow\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:28
S99	7	(operati\$4 adj (fail\$3) (break shut) adj down error) with (packet) with (pass adj through) with allow\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:28
S10 0	69	(operati\$4 adj (fail\$3) (break shut) adj down error) with (packet) with (pass adj through)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:32
S10 1	8	("4679191"   "5023872"   "5095480"   "5319644"   "5568482"   "5721819"   "6119171"   "6643286"). PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/08/07 18:31
S10 2	20144	(operati\$4 adj (fail\$3) (break shut) adj down error) with (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:32
S10 3	10	(operati\$4 adj (fail\$3) (break shut) adj down error) with (packet) with (uninterrupt\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:33
S10 4	63	(operati\$4 adj (fail\$3) (break shut) adj down error) with (message signal) with (uninterrupt\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:35
S10 5	86	(operati\$4 adj (fail\$3)) with (message packet data request signal) with (communication)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:35

S10 6	5	fail\$1safe with (authenticat\$3) with (packet message data request)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:37
S10 7	5	fail\$1safe with (authenticat\$3) with (packet message data request signal)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:38
S10 8	4093	fail\$1safe with (packet message data request signal)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:38
S10 9	2000	fail\$1safe with (packet message data request signal) with (monitor\$3 inject\$3 sniff\$3 control\$4 analyz\$3 eavesdrop\$4 listen\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:39
S11 0	0	fail\$1safe with (packet message data request signal) with (monitor\$3 inject\$3 sniff\$3 control\$4 analyz\$3 eavesdrop\$4 listen\$3) and (user client terminal console) with (authenticat\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:39
S11 1	102	fail\$1safe with (packet message data request signal) with (monitor\$3 inject\$3 sniff\$3 control\$4 analyz\$3 eavesdrop\$4 listen\$3) and (user client terminal console) with (authenticat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:51
S11 2	1	(US-5995628-\$).did.	USPAT	OR	ON	2005/08/07 18:43
S11 3	1	S112 and (client server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:43
S11 4	28	fail\$1safe with (packet message data request signal) with (intermedi\$3 between) and (user client terminal console) with (authenticat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:09

S11 5	0	fail\$1safe with (packet message data request signal) with (intermedi\$3) and (user client terminal console) with (authenicat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:54
S11 6	18	fail\$1safe with (packet message data request signal) with (intermedi\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 18:54
S11 7	360	fail\$1safe with (packet message data request signal) and (user client terminal console) with (authenicat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:23
S11 8	172	S117 and (@ad<"19990915" @pd<"19990915")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:32
S11 9	9	fail\$1safe with (proxy gateway)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:22
S12 0	1	(US-6088451-\$).did.	USPAT	OR	ON	2005/08/07 19:20
S12 1	1	S120 and fail\$1safe	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:21
S12 2	151	fault adj tolera\$3 with (proxy gateway)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:27
S12 3	1437	(fault adj (tolerant tolerance tolerable)) with (packet message data request signal) and (user client terminal console) with (authenicat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:24
S12 4	124	(fault adj (tolerant tolerance tolerable)) with (packet message data request signal) same (user client terminal console) with (authenicat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:24



S12 5	14	fault adj tolera\$3 with (proxy gateway) with (authenticat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:28
S12 6	23	fault adj tolera\$3 with (proxy gateway) same (authenticat\$3 access\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:29
S12 7	418	fault adj tolera\$3 same (authenticat\$3 access\$3) with (user client terminal console workstation)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:30
S12 8	2	fault adj tolera\$3 with (intermedia\$2) same (authenticat\$3 access\$3) with (user client terminal console workstation)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:30
S12 9	145	S127 and (@ad<"19990915" @pd<"19990915")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:39
S13 0	10214	(fault adj toler\$4) and (message packet data request signal) with (uninterrupt\$4 pass adj through ceaseless consecutive constant continual continuous direct endless interminable nonstop peaceful perpetual steady straight straightforward sustained through unbroken unceasing undisturbed unending unremitting)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:38

S13 1	3277	(fault adj toler\$4) and (message packet data request signal) with (uninterrupt\$4 pass adj through ceaseless consecutive constant continual continuous direct endless interminable nonstop peaceful perpetual steady straight straightforward sustained through unbroken unceasing undisturbed unending unremitting) with (intermediary between intermediate proxy gateway)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:40
S13 2	1480	S131 and (@ad<"19990915" @pd<"19990915")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:41
S13 3	1207	S132 and (client terminal console workstation user)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:40
S13 4	519	(fault adj toler\$4) and (message packet data request signal) with (uninterrupt\$4 pass adj through ceaseless consecutive constant continual continuous direct endless interminable nonstop peaceful perpetual steady straight straightforward sustained through unbroken unceasing undisturbed unending unremitting) with (intermediary between intermediate proxy gateway) with (device terminal user client console workstation) with (host server resource service site)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:41
S13 5	183	S134 and (@ad<"19990915" @pd<"19990915")	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 19:41
S13 6	1	(US-4672572-\$).did.	USPAT	OR	ON	2005/08/07 20:40

S13 7	2	"20020133412"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 20:52
S13 8	1	gateway with (authenticat\$3 access adj control\$4) with (user client console workstation terminal) with (address) same (reject\$3 violation den\$3) same (grant\$3 allow\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 20:55
S13 9	4	gateway with (authenticat\$3 access adj control\$4) with (user client console workstation terminal) with (address identifi\$6) same (reject\$3 violation den\$3) same (grant\$3 allow\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 20:56
S14 0	6	(proxy intermediary intermediate) with (authenticat\$3 access adj control\$4) with (user client console workstation terminal) with (address identifi\$6) same (reject\$3 violation den\$3) same (grant\$3 allow\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 20:56
S14 1	8	(proxy intermediary intermediate) with (authenticat\$3 access adj control\$4) with (user client console workstation terminal) same (address identifi\$6) same (reject\$3 violation den\$3) same (grant\$3 allow\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 20:57
S14 2	13	(proxy intermediary intermediate isp service adj provider) with (authenticat\$3 access adj control\$4) with (user client console workstation terminal) same (address identifi\$6) same (reject\$3 violation den\$3) same (grant\$3 allow\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 20:57